

## An even wider choice

The range of Tournus **GC wash basins** now includes 5 models for 5 different ways to equip your kitchen.

**The simple GC wash basin:** the bowl, with apron around 3 sides and a 29 mm rim at the back, fixes to the wall with screws.



Ref. 806 381



Ref. : 806 383

**The GC wash basin with 540 mm high splash back:** the splash back is especially designed to make splashes run back into the bowl so that the wall is completely protected against dampness. The splash back includes an integral soap dispenser, capacity 350 ml.

**The GC wash basin with 790 mm high splash back:** this has all the advantages of the previous model, while the higher splash back brings the additional possibility of fixing a paper towel dispenser, capacity 250 towels.



Ref. : 806 385

**Wall-mounted waste bins:** : made of stainless steel or made of PVC



Ref: 806 395



Ref: 806 396

All these wash basins have knee-actuated controls, and the tap is turned on by pressing the paddle located on the front panel.

## Sturdy and ergonomic

**The GC wash basin** is a sturdy product designed to be long-lasting. It is made of grade stainless steel. It comes complete with a hot and cold water pre-mixer, equipped with check valves in order to protect the mains drinking water supply. It is supplied with the fixing strut, the hose to connect the pre-mixer to the goose neck, the goose neck itself, and the sink pipe and trap.

The tap outlet has an aerator giving a softer stream of water with fewer splashes.



25 avenue Jean Moulin  
BP 59  
71700 TOURNUS - FRANCE

France :  
Tel : 03 85 27 42 00  
Fax : 03 85 27 42 50


E-mail :  
commercial@tournus.com

Export :  
Tel : + 33 (0)3 85 27 42 65  
Fax : + 33 (0)3 85 27 42 60


E-mail :  
export@tournus.com

Web site :  
www.tournus.com

RC Mâcon B 383 567 104  
Code APE 295 E  
SA Capital 16 355 625 €



- Constructed from stainless steel, bowl 345 x 245 x 120 mm
- Goose neck tap height 150 mm with aerator.
- Temperature adjusted by means of 2 hot/cold water supply taps fitted with check valves, accessed under the control paddle or front panel.
- Connection to 2 male threaded inlets 15 x 21.
- Delivered with fixing strut, pipe for connecting the pre mixer to the goose neck, the goose neck itself, and sink pipe and trap.



**GC wash basin with electronic controls:**

- Control with timer, pre-set to 2 seconds, adjustable up to 12 seconds
- Power supply cable 3 x 1.5 mm length 2 m, with plug
- Soap dispenser locked with key
- The wash basin must be earthed

Description	Overall dim. l x W x h (mm)	Reference
GC Wash-basin	415 x 310 x 185	806 381
GC wash-basin with upstand height 540 mm	440 x 335 x 540	806 382
GC wash-basin with upstand height 540 mm + soap dispenser	440 x 335 x 540	806 383
GC wash-basin with upstand height 790 mm	440 x 335 x 790	806 384
GC wash-basin with upstand height 790 mm + soap dispenser and paper towel dispenser	440 x 335 x 790	806 385

25 avenue Jean Moulin  
BP 59  
71700 TOURNUS - FRANCE

France :  
Tel : 03 85 27 42 00  
Fax : 03 85 27 42 50

E-mail :  
commercial@tournus.com

Export :  
Tel : + 33 (0)3 85 27 42 65  
Fax : + 33 (0)3 85 27 42 60

E-mail :  
export@tournus.com

Web site :  
www.tournus.com

## Accessories for hand wash-basin

Description	Overall dim. l×W×h (mm)	Reference
Stainless steel wall dustbin	250×140×250	<u>806 395</u>
Plastic wall dustbin	250×200×400	<u>806 396</u>
Paper towel dispenser, capacity 250 towels <b>(1)</b>	280×130×370	<u>230 552</u>
Box of 3000 towels, 30 packets of 100	300×290×145	<u>230 398</u>
Paper towel dispenser for rolls ø 120 mm	140×155×290	<u>230 553</u>
Box of 15 paper towel rolls ø 120 mm	h = 210	<u>806 362</u>
Paper towel dispenser for rolls ø 170 mm	210×220×320	<u>230 554</u>
Box of 6 paper towel rolls ø 170 mm	h = 195	<u>806 364</u>
Nails brush on support		<u>806 314</u>
Soap dispenser 500 ml	95×95×165	<u>230 469</u>
Extra-cost for plug and brass tap + brass siphon		<u>230 234</u>
<b>Knee-control kit:</b> control by rod + swan neck, flexible tube. Enables conversion an existing basin		<u>806 350</u>

**(1)** Attached to the upstand height 790 mm or the wall



806 395



806 396



230 552



230 553



230 554



230 469



806 350



806 314

RC Mâcon B 383 567 104  
Code APE 295 E  
SA Capital 16 355 625 €