

NEUTRAL UNITS

STAINLESS STEEL UNITS WITH SLIDING DOORS

Stainless steel construction, height 900 (+ 0/50 mm). Reinforced worktop with waterproof laminated panel. Rounded front edge, height 60 mm. One adjustable shelf. Reinforced inner panel, reinforced sliding doors, suspended on a rail in the top part, with stop-block. Stainless steel legs Ø 60 mm with jacks with no exposed thread. Folded front edge and upstand, shelf, handles and floor



Also available with upstand !



Rear recess of 120 mm allowing for clearance for pipes and grooved plinths.



Units with a box 660 mm deep meaning a GN 1/1 container can be inserted lengthways.

STAINLESS STEEL UNITS

Sliding door units on 2 sides



One-side open units



Corner units



Standard units with hinged door



Units with drawers



Units with doors and drawers



CUSTOMIZED STAINLESS STEEL UNITS

Stainless steel construction. Height 900 mm (+0/50 mm). Work surface lined with water repellent laminated panel. Rounded front edge, height 60 mm. One adjustable shelf. Sliding door units (hinged doors for lengths to 999 mm). Stainless steel legs Ø 60 mm with jacks with no exposed thread. Flattened folds on the front edge, upstand, shelf, handles and floor.

Central units



Units with upstand



STAINLESS STEEL UNIT COMBINATIONS

Stainless steel construction. Adjustable height 900 to 950 mm.
Rounded worktop front. Reinforced inner panel, reinforced sliding doors.



CREATE YOUR LAYOUT

- Choosing the units without tops (Page 94 and Page 95)
- Adding the made-to-measure top (see Page 96)

Specify the location of the different elements of your creation in a sketch.

The standard units below are designed to exclusively receive tops made by us.



Units combinations

Open standard units without worktop



Standard units with sliding doors without worktop



Units with hinged doors without worktop



Bread bin cupboard without worktop



Unit with integrated bin without top



Unit with tilting bin on front



Waste pedal bin unit



Unit with hinged door and storage compartment



Free place with rear covered side for container or trolley



In the case of units in extremity, foresee one lateral covered side on supplement.

| Description | Length (mm) | Reference |
|--|------------------|-----------|
| Place for 1 flour container or 1 low trolley | 500 | 701 806 |
| Place for others lengths | The linear meter | 701 807 |
| Lateral panelling + legs | 90 | 701 779 |



Protective side glass

To separate a work top from a space (washing, etc.). Tempered glass sneeze-guard, 6 mm thick, 250 mm high fixed to 2 brushed stainless steel columns Ø 38 mm with rounded base. Assembly fixed to top of unit with no visible connecting parts.

Ref: 703 755

WORKTOPS FOR UNITS


Only for Tournus basis. Upper worktop, monobloc top reinforced by a double side laminated panel. In order to obtain the total length on the worktop, add 8 mm to the total length of the combination (see drawing). For lengths over 2800 mm, please contact us (maxi length: 3800 mm).



Worktop for unit



Worktop for unit with upstand



SUPLÉMENTS POUR MEUBLES SUR-MESURE ET COMPOSITIONS

Dessus de meubles

- Folded lateral upstand :** 701 776 (to right) et 701 777 (to left)
- Lateral upstand added :** 701 763 (to right) 701 764 (to left)
- Sheet steel for hiding the back recess on the units with upstand :** 701 708
- Seal cover between units 60 mm wide on front :** 130 566
- Orbital polishing, the linear meter :** 701 024
- Mirror polished edging, the linear meter :** 701 025
- Waste chute :** 701 101 G, 701 101 D, 701 101 C
- Waste chute + rubber flange :** 701 102G, C ou D
- Anti-drip edges :** 701 005
- Extra cost for worktop 20/10th thickness of mm**
- 2 Ball corners for units with upstand :** 701 080
- 4 Ball corners for central units :** 701 079



701 024



701 025



130 566



Waste chute + rubber flange, 701 102



Ball corners

Pans

- Welded basin 400 × 400 × 250 mm with overflow pipe + adaptation shelf :** 701 780 G, D et C
- Welded basin 500 × 500 × 300 mm with overflow pipe + adaptation shelf :** 701 781 G, D et C
- Cylindrical welded basin Ø 300 mm, depth 160 mm with overflow pipe :** 701 033 G, D et C



Tap

- Mixer tap 1/2, flow rate 30 l/mn : 230 300
- Mixer tap with electronic control, flow rate 3 l/mn : 230 507
- Drilling for tap (not supplied) : 701 782



Robinet 230 300



Robinet 230 507

Others

- Lock for units with sliding doors : 118 882
- Lock for units with hinged doors (1 by door) : 701 770
- 4 Wheels with stainless steel cover ø 125 mm with 2 brakes : 701 778
- Lower connection plate between units – per unit : 130 567
- Stainless steel plinths, per linear metre : 701 790



130 567



118 882



Granit
Crema Julia*

UNITS WITH GRANITE WORKTOP

An adaptation is required to make a unit with a granite top. To calculate the whole price: add the price of the granite to the price of the unit with corresponding stainless steel top (standard or composition). Colour: crema julia.

Sheets of granite supplied separately: to avoid any risk of breakage during transport, they are shipped on a frame, to be provided for in the order

USTENSIL WALL BRACKETS

Wall-mounted brackets to store kitchen and confectionary utensils and accessories. Drilled stainless steel panels high for removable hooks, 200 mm long. 2 heights: 660 and 900 mm. 2 lengths: 600 and 900 mm. The lengths 1200, 1500 and 1800 mm are formed by juxtaposing the base support. Each accessories holder bracket is delivered with a lot of hooks whose number varies depending on the surface. Security: hooks have a protective cap made of polyethylene



WALL ACCESSORIES

| Description | Overall dim. WxI (mm) | Reference |
|---|-----------------------|----------------|
| Fold wall shelf (for GN and 600x400 mm sizes) | 485x530x735 | <u>800 622</u> |
| Utensils-hanging bar | Length: 1000 | <u>805 775</u> |
| Bar to index cards | Length: 915 | <u>229 974</u> |
| Bar to index cards | Length: 1220 | <u>230 059</u> |
| Magnetic knife-holder | Length: 500 | <u>228 400</u> |
| Sloping display- top for 3 GN 1/3 pans (not provided) | Length: 550 | <u>805 793</u> |
| Sloping display-top for 6 GN 1/3 pans (not provided) | Length: 1080 | <u>805 794</u> |
| Sloped stand with 2 levels for 2 GN 1/1 pans (not supplied) | 550x350x600 | <u>805 773</u> |
| Wall-mounted shelf with sloped stand | 535x330x600 | <u>805 774</u> |
| Meat hook bar, 8 teeth per linear meter | The meter | 701 410 |
| Stainless steel wall support for meat hook bar the unit | | <u>228 350</u> |
| Stainless steel wall support for scraper | 900x210x100 | <u>800 623</u> |
| Rectangular splashback * | The meter | 701 415 |
| Rectangular splashback with insulation * | The meter | 701 416 |

* Dimensions to specify when ordering



228 400

800 622

228 350

701 410

800 623

805 775

805 793