

# CARVING TABLES

Stainless steel welded construction. Legs 35x35 mm with non-slip adjustable feet. Upper belt 60x30 mm. Height 900 mm. Removable carving polyethylene plate 25 mm thick. NF Hygiene Alimentaire.

## Polyethylene top tables



Description	Overall dim. WxLxh (mm)	Tables with welded legs	Flat packed tables
Table, polyethylene top	600x600	<u>809 750</u>	<u>809 701</u>
Table, polyethylene top	600x1200	<u>809 751</u>	<u>809 702</u>
Table, polyethylene top	600x1500	<u>809 752</u>	<u>809 703</u>
Table, polyethylene top	600x2000	<u>809 753</u>	<u>809 704</u>
Table, polyethylene top	700x1000	<u>809 760</u>	<u>809 705</u>
Table, polyethylene top	700x1500	<u>809 761</u>	<u>809 706</u>
Table, polyethylene top	700x2000	<u>809 762</u>	<u>809 707</u>
Table with s/steel sheet + upstand	700x1200	<u>809 773</u>	<u>809 711</u>
Table with s/steel sheet + upstand	700x1500	<u>809 774</u>	<u>809 712</u>
Table with s/steel central sheet	1200x2000	<u>809 776</u>	<u>809 713</u>






The Tournus asset

- Robust design to receive carcasses up to 200 kg daily.
- The gripping of the plate is facilitated because it exceeds the 25 mm belt.



## Butcher blocks on legs and combined blocks

Butcher blocks 100 mm thick.

Description	Overall dim. WxLxh (mm)	Tables with welded legs	Flat packed tables
Wood block for laboratory	600x600	<u>809 785</u>	<u>809 722</u>
Wood block for sales area 	600x600	<u>809 786</u>	<u>809 723</u>
Polyethylene block	600x600	<u>809 780</u>	<u>809 721</u>
Combined wood block for laboratory 	600x1200	<u>809 795</u>	<u>809 731</u>
Combined wood block for laboratory 	600x1500	<u>809 796</u>	<u>809 732</u>
Combined wood block for laboratory 	600x1800	<u>809 797</u>	<u>809 733</u>
Combined polyethylene block 	600x1200	<u>809 790</u>	<u>809 734</u>
Combined polyethylene block	600x1500	<u>809 791</u>	<u>809 735</u>
Combined polyethylene block	600x1800	<u>809 792</u>	<u>809 736</u>



**France:**

Tel : 03 85 27 42 42

**E-mail :**  
 commercial@tournus.com

**Export :**

Tel : + 33 (0)3 85 27 42 65

**E-mail :**  
 export@tournus.com

**Website :**  
 www.tournus.com

# CARVING TABLES

## Removable accessories

Description	Reference
Upstand for table length 1200 mm (1)	<u>809 741</u>
Upstand for table length 1500 mm (1)	<u>809 742</u>
Upstand for table length 2000 mm (1)	<u>809 743</u>
Drawer (please specify position) (2)	701 407
Removable side knife-holder	<u>809 747</u>
Removable frontal knife holder	<u>809 506</u>
Magnetic knife-holder, length 500 mm	<u>228 400</u>
String dispenser	<u>809 746</u>
Undershelf, linear metre (3)	701 408
Reinforced underbar for welded tables length 600 mm	<u>809 737</u>
Reinforced underbar for welded tables length 1000 mm	<u>809 744</u>
Reinforced underbar for welded tables length 1200 mm	<u>809 738</u>
Reinforced underbar for welded tables length 1500 mm	<u>809 739</u>
Reinforced underbar for welded tables length 2000 mm	<u>809 740</u>
Extra for tables with wheels ø 125 mm including 2 brakes (2)	701 402



809 791



809 506

(1) Upstand for butcher block, please consult us.

(2) The fitting of drawer and wheels requires a prior adaptation. You must order them together with the table.

(3) For lengths < 1 m, take the price for 1 m

## White polyethylene boards thickness 25 mm


Dimensions W×P (mm)	Ref.	Dimensions W×P (mm)	Ref.
530×325 (GN 1/1)	<u>221 229</u>	600×600	<u>232 650</u>
400×500	<u>232 602</u>	600×900	<u>232 665</u>
400×600	<u>232 667</u>	600×1200	<u>232 662</u>
400×1200	<u>232 666</u>	600×1500	<u>232 645</u>
500×500	<u>232 604</u>	600×2000	<u>232 646</u>
500×1500	<u>232 651</u>	700×1000	<u>232 658</u>
500×2000	<u>232 655</u>	700×1500	<u>232 659</u>
		700×2000	<u>232 660</u>



906 452

Other dimensions, the m2: white polyethylene or red polyethylene  
 Other thickness: consult us.

Description	Reference
Carving plate + brackets (400×500×25 mm)	<u>906 452</u>
4 Rubber brakes fitted on carving plate	701 461
Rack for 6 polyethylene cutting boards thickness 12 mm	<u>900 400</u>
Rack for 6 polyethylene cutting boards thickness 25 mm	<u>900 401</u>



900 400

**France:**

Tel : 03 85 27 42 42

**E-mail :**  
 commercial@tournus.com

**Export :**

Tel : + 33 (0)3 85 27 42 65

**E-mail :**  
 export@tournus.com

**Website :**  
 www.tournus.com

# CARVING TABLES

## Butcher blocks

Description	Overall dim. WxI (mm)	Reference
Polyethylene block 100 mm thick	600x600	<u>252 004</u>
Polyethylene block 100 mm thick raised to 140 mm	600x600	<u>803 200</u>
Wood block 100 mm thick for laboratory	600x600	<u>232 230</u>
Wood block 100 mm thick for sales area	600x600	<u>232 227</u>
Wood block 150 mm thick for laboratory	600x600	<u>232 231</u>
Wood block 150 mm thick for sales area	600x600	<u>232 228</u>



232 231

## Others tables

Description	Overall dim. WxI (mm)	Reference
Table with 4 anti-drip edges	700x1500x900	<u>809 095</u>
Gutting table	700x1500x900	<u>809 097</u>



809 097

## Stainless steel writing desks

Stainless steel construction. Tilt worktop with folding cover forming inclined desk.

Description	Height (mm)	Overall dim. lxW (mm)	Reference
Desk on legs	1300	510x565	<u>907 001</u>
Desk on wheels	1300	515x565	<u>907 011</u>
Desk on wheels with drawer and lock	1300	515x565	<u>907 010</u>
Wall desk	170	500x450	<u>907 002</u>



907 011



907 002

## Basket support

Description	Overall dim. l×W (mm)	Reference
Structure for basket support length 1200 mm fixed to		702 257
Wall supports brackets for s/steel punnet basket (set of 2)		<u>906 425</u>
Stainless steel basket for punnets	1200×380×510	<u>906 380</u>



## Gantry (butcher)

Tube poles 60×60×3 mm, upper cross bars of 120 mm. Flat latching bars of 80×10 spaced by 500 mm. Flat x-cross reinforcement bars of 40×6 mm. Load: 400 kg/m<sup>2</sup>. Height 2200 mm. Manufactured on request with drawing.

Description		Reference
Area < 5 m <sup>2</sup>	the m <sup>2</sup>	
Area from 5 m <sup>2</sup> to 8 m <sup>2</sup>		702 302
Area > 8 m <sup>2</sup>	the m <sup>2</sup>	702 303
Extra cost for fixed hooks *	Unit	702 311
Removable sliding hook		<u>228 340</u>

\* Hook to fit