

25 avenue Jean Moulin
BP59
71700 TOURNUS - FRANCE

France :

Tél : 03 85 27 42 42
Fax : 03 85 27 42 50

E-mail :
commercial@tournus.com

Export :

Tél : + 33 (0)3 85 27 42 65
Fax : + 33 (0)3 85 27 42 60

E-mail :
export@tournus.com

Website :
www.tournus.com






Stainless steel construction, height 900 mm (height 850 mm on request). Rounded front edge and rounded upstand are similar to those of the stainless steel tables and units. Upstand height 100 mm. 3 covered sides. Stainless steel tube underframe Ø 45 mm with adjustable feet, 80 mm indent at rear. Grooved draining boards, anti-drip edges. Soundproofed basins and draining boards. Delivered flat packed in carton, with overflow tube, siphon.

Choice: with or without mixer tap. Tap hole Ø 33 mm (sealed).












816 662

Sinks with basin 500×400×250 mm

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (Ref. 230 300)
1 basin + 1 right draining board 	600×1200	806 661	816 661
1 basin + 1 left draining board 	600×1200	806 662	816 662
2 basins 	600×1200	806 663	816 663
2 basins + 1 right draining board 	600×1800	806 664	816 664
2 basins + 1 left draining board 	600×1800	806 665	816 665

Sinks with basin 500×500×300 mm








Sinks with	Overall dim. W×l (mm)	Without tap	With tap (Ref. 230 300)
1 basin 	700×700	806 670	816 670
1 basin + 1 right draining board 	700×1200	806 671	816 671
1 basin + 1 left draining board 	700×1200	806 672	816 672
2 basins 	700×1200	806 673	816 673
2 basins + 1 right draining board 	700×1600	806 677	816 677
2 basins + 1 left draining board 	700×1600	806 678	816 678
2 basins + 1 right draining board 	700×1800	806 674	816 674
2 basins + 1 left draining board 	700×1800	806 675	816 675
3 basins 	700×1900	806 676	816 676*

*with 2 taps



816 676

Sinks with basin 600×500×320 mm

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (Ref. 230 300)
1 basin 	700×800	806 680	816 680
1 basin + 1 right draining board 	700×1400	806 681	816 681
1 basin + 1 left draining board 	700×1400	806 682	816 682
2 basins 	700×1400	806 683	816 683
2 basins + 1 right draining board 	700×1900	806 684	816 684
2 basins + 1 left draining board 	700×1900	806 685	816 685
2 basins + 2 draining board 	700×2400	806 686	816 686








816 683

Sinks with shelf



836 672

Sinks with basin 500×400×250 mm + shelf

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (Ref. 230 300)
1 basin + 1 right draining board 	600×1200	826 661	836 661
1 basin + 1 left draining board 	600×1200	826 662	836 662
2 basins 	600×1200	826 663	836 663
2 basins + 1 right draining board 	600×1800	826 664	836 664
2 basins + 1 left draining board 	600×1800	826 665	836 665

RC Mâcon B 383 567 104
Code APE 295 E
SAS Capital 16 355 625 €

25 avenue Jean Moulin
BP59
71700 TOURNUS - FRANCE

France :

Tél : 03 85 27 42 42
Fax : 03 85 27 42 50

E-mail :
commercial@tournus.com

Export :

Tél : + 33 (0)3 85 27 42 65
Fax : + 33 (0)3 85 27 42 60

E-mail :
export@tournus.com

Website :
www.tournus.com



826 682



Wall sinks

Stainless steel construction with upstand height 100 mm. Rounded front edge and rounded upstand are similar to those of the stainless steel tables and units. 3 covered sides. Grooved draining boards, anti-drip edges. Soundproofed basins and draining boards. Fixture by 2 or 3 wall supports under upstand, with 2 jacks for horizontal adjustment. Delivered flat packed in carton, with overflow tube, siphon. Choice: with or without mixer tap (ref. 230 300). Tap hole Ø 33 mm (sealed).



816 623



816 631



816 625

RC Mâcon B 383 567 104
Code APE 295 E
SAS Capital 16 355 625 €

SINKS

Sinks with basin 500×500×300 mm + shelf

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (ref. 230 300)
1 basin	700×700	826 670	836 670
1 basin + 1 right draining board	700×1200	826 671	836 671
1 basin + 1 left draining board	700×1200	826 672	836 672
2 basins	700×1200	826 673	836 673
2 basins + 1 right draining board	700×1600	826 677	836 677
2 basins + 1 left draining board	700×1600	826 678	836 678
2 basins + 1 right draining board	700×1800	826 674	836 674
2 basins + 1 left draining board	700×1800	826 675	836 675
3 basins	700×1900	826 676	836 676*

* With 2 taps.

Sinks with basin 600×500×320 mm + shelf

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (ref. 230 300)
1 basin	700×800	826 680	836 680
1 basin + 1 right draining board	700×1400	826 681	836 681
1 basin + 1 left draining board	700×1400	826 682	836 682
2 basins	700×1400	826 683	836 683
2 basins + 1 right draining board	700×1900	826 684	836 684
2 basins + 1 left draining board	700×1900	826 685	836 685
2 basins + 2 draining board	700×2400	826 686	836 686

Sinks with basin 500×500×300 mm

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (ref. 230 300)
1 basin	700×700	806 620	816 620
1 basin + 1 right draining board	700×1200	806 621	816 621
1 basin + 1 left draining board	700×1200	806 622	816 622
2 basins	700×1200	806 623	816 623
2 basins + 1 right draining board	700×1800	806 624	816 624
2 basins + 1 left draining board	700×1800	806 625	816 625

Sinks with basin 600×500×320 mm

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (ref. 230 300)
1 basin	700×800	806 630	816 630
1 basin + 1 right draining board	700×1400	806 631	816 631
1 basin + 1 left draining board	700×1400	806 632	816 632
2 basins	700×1400	806 633	816 633
2 basins + 1 right draining board	700×1900	806 634	816 634
2 basins + 1 left draining board	700×1900	806 635	816 635
2 basins + 2 draining board	700×2400	806 636	816 636

Sinks on cupboard

25 avenue Jean Moulin
BP59
71700 TOURNUS - FRANCE

France :

Tél : 03 85 27 42 42
Fax : 03 85 27 42 50

E-mail :
commercial@tournus.com

Export :

Tél : + 33 (0)3 85 27 42 65
Fax : + 33 (0)3 85 27 42 60






E-mail :
export@tournus.com

Website :
www.tournus.com

Stainless steel welded construction. Height 900 mm. Basin 500×500×300 mm. Grooved draining boards, anti-drip edges. Upstand height 100 mm×20 mm. Welded worktop on the unit. Rounded front edge and rounded upstand are similar to those of the stainless steel tables and units. Extra cost for mixer tap, hole Ø 33 mm (sealed) for tap. Reinforced inner panel, sliding doors suspended from a rail fitted on the top part, with stop block. Stainless steel legs Ø 60 mm with jacks with no exposed thread. The sinks with 1 basin and 1 draining board have a shelf.



806 794 + tap 230 300





Sinks over cupboard with	Dim. W×l (mm)	Reference
1 basin + 1 right draining board 	700×1200	<u>806 791</u>
1 basin + 1 left draining board 	700×1200	<u>806 792</u>
2 basins 	700×1200	<u>806 793</u>
2 basins + 1 right draining board 	700×1600	<u>806 794</u>
2 basins + 1 left draining board 	700×1600	<u>806 795</u>

Sinks for integrated dishwasher

Stainless steel welded construction, height 900 mm (850 mm on request). Rounded front edge and rounded upstand are similar to those of the stainless steel tables and units. Upstand height 100 mm. Basins 500×500 mm, depth 300 mm. 3 covered sides. Stainless steel tube underframe Ø 45 mm with jacks, 80 mm indent at rear. Grooved draining board, anti-drip edges. Soundproofed basins and draining boards. Rounded worktop front. Delivered with overflow tube, siphon. Choice: with or without mixer tap (ref. 230 300). Tap hole Ø 33 mm (sealed).



816 594

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (ref. 230 300)
1 basin + 1 right draining board 	700×1200	<u>806 591</u>	<u>816 591</u>
1 basin + 1 left draining board 	700×1200	<u>806 592</u>	<u>816 592</u>
2 basins + 1 right draining board 	700×1800	<u>806 594</u>	<u>816 594</u>
2 basins + 1 left draining board 	700×1800	<u>806 595</u>	<u>816 595</u>







Deep pot sinks

Stainless steel welded construction. Height 900 mm (height 850 mm on request). Rounded front edge and rounded upstand are similar to those of the stainless steel tables and units. Upstand height 100 mm. 3 covered sides. Stainless steel tube underframe Ø 45 mm with adjustable feet, 80 mm indent at rear. Grooved draining boards, anti-drip edges. Soundproofed basins and draining boards. Delivered with overflow tube, strainer grid, brass siphon. Choice: with or without mixer tap. Low shelf is not recommended (insufficient storage space).

Sinks with basin 760×510×380 mm



816 864

Sinks with	Overall dim. W×l (mm)	Without tap	With tap (ref. 230 300)
1 basin 	700×950	<u>806 860</u>	<u>816 860</u>
1 basin + 1 right draining board 	700×1500	<u>806 863</u>	<u>816 863</u>
1 basin + 1 left draining board 	700×1500	<u>806 864</u>	<u>816 864</u>
2 basins 	700×1800	<u>806 865</u>	<u>816 865</u>
2 basins + 1 right draining board 	700×2500	<u>806 868</u>	<u>816 868</u>
2 basins + 1 left draining board 	700×2500	<u>806 869</u>	<u>816 869</u>

* Please specify when ordering, drilling diameter for the tap (1 hole - 2 holes) or no drilling (wall).

RC Mâcon B 383 567 104
Code APE 295 E
SAS Capital 16 355 625 €

25 avenue Jean Moulin
BP59
71700 TOURNUS - FRANCE

France :

Tél : 03 85 27 42 42
Fax : 03 85 27 42 50

E-mail :
commercial@tournus.com

Export :

Tél : + 33 (0)3 85 27 42 65
Fax : + 33 (0)3 85 27 42 60

E-mail :
export@tournus.com







Website :
www.tournus.com

RC Mâcon B 383 567 104
Code APE 295 E
SAS Capital 16 355 625 €

Sinks with basin 800×600×450 mm



816 874

Sinks with	Overall dim. W×l (mm)	Without tap	With tap chavonnet 5640 T3
1 basin 	800×1000	<u>806 870</u>	<u>816 870</u>
1 basin + 1 right draining board 	800×1500	<u>806 873</u>	<u>816 873</u>
1 basin + 1 left draining board 	800×1500	<u>806 874</u>	<u>816 874</u>
2 basins 	800×1900	<u>806 875</u>	<u>816 875</u>
2 basins + 1 right draining board 	800×2500	<u>806 878</u>	<u>816 878</u>
2 basins + 1 left draining board 	800×2500	<u>806 879</u>	<u>816 879</u>

* Please specify when ordering, drilling diameter for the tap (1 hole - 2 holes) or no drilling (wall).

Accessories



Tap

Description	Dim.	Ref.
Mixer tap, flow 30 l/min*	1/2"	<u>230 300</u>
Mixer tap, 1/4 turn chavonnet 5640 t3, flow 45 l/mn*	1/2"	<u>806 730</u>
Mixer tap, flow 19 l/min*	3/4"	<u>230 403</u>
Mixer shower head	1/2"	<u>230 241</u>
Mixer shower head + swan neck	1/2"	<u>230 245</u>
Knee-operated control for sinks width 600 mm (1)		<u>118 133</u>
Knee-operated control for sinks width 700 mm (1)		<u>118 132</u>

(1) Not suitable for sinks for integrated dishwasher, sink large basins and made to measure sinks. For these sinks take the reference 701 504.

* Flows for pressure of 3 bars.

Evacuation



Description	Reference
Overflow tube and strainer for basins depth 300 mm and more	<u>806 689</u>
Overflow tube and strainer for basins depth 250 mm	<u>806 688</u>
Brass siphon	<u>272 110</u>

25 avenue Jean Moulin
BP59
71700 TOURNUS - FRANCE

France :

Tél : 03 85 27 42 42
Fax : 03 85 27 42 50

E-mail :
commercial@tournus.com

Export :

Tél : + 33 (0)3 85 27 42 65
Fax : + 33 (0)3 85 27 42 60

E-mail :
export@tournus.com

Website :
www.tournus.com

RC Mâcon B 383 567 104
Code APE 295 E
SAS Capital 16 355 625 €

806 931



806 936 D



Risers for sinks*

Description	Height (mm)	Reference
Riser for pan 500×600 mm 500×500 mm	100	806 931
Riser for pan 600×500 mm	100	806 932
Riser for left pan 760×510 mm	150	806 936 G
Riser for right pan 760×510 mm	150	806 936 D
Riser for left pan 800×600 mm	150	806 937 G
Riser for right pan 800×600 mm	150	806 937 D

* Riser grid for sink Tournus only

Sink accessories

For standard or customized sinks

Description	Reference
Lateral upstand added to right (+ 20 mm)	701 501
Lateral upstand added to left (+ 20 mm)	701 502
Sink with 4 swivel wheels ø 125 mm with polyamide cover including 2 braked	701 553
Sink with 4 stainless steel swivel wheels ø 125 mm including 2 braked	701 540
Sink with 2 polyamide wheels ø 125 mm and 2 rear bumpers	701 554
Sink with 2 polyamide wheels ø 125 mm including braked and 2 rear bumpers	701 541
Sink with 2 stainless steel wheels ø 125 mm and 2 rear bumpers	701 542
Sink with 2 stainless steel wheels ø 125 mm including braked and 2 rear bumpers	701 543
2 Rear bumpers	701 538
Legs with stainless steel jack	701 070
Draining with stainless steel tube on floor drain per pan	701 539

For customized sinks only

The extra-costs here below are a special unit manufacture launched to the order.



Description	Reference
Folded lateral upstand to right	701 511
Folded lateral upstand to left	701 512
Closed back splashback (stainless steel cover) per linear metre	701 014
Mixer tap, 1/4 turn chavonnet 5610, flow 97 l/mn (tube 14/16)*	806 725
Adaptation for knee-operated control for sinks for dishwashing, kitchen utensils or made-to-measure	701 504

* Flow rate given at a pressure of 3 bar (requires ø 50 mm drilling)