

A young girl with dark hair, wearing a light-colored sweater, is looking at a buffet line in a school cafeteria. The buffet line consists of several small plates of food, including green salad, red grapes, and a white sauce. The girl is reaching out to take a small piece of food from a glass bowl. The background shows other food items on the buffet line.

bambino³

To encourage children to
eat well



The bambino³ self-service line is designed for primary school canteens. At a time when schools are taking on the task of educating children about food and raising awareness of balanced nutrition, the bambino³ self-service line meets the expectations of both catering managers and children.

The bambino³ line combines the advantages of oreo³'s design: robustness, hygiene, compliance with standards, ease of cleaning, thermal performance and ergonomics with the need to introduce young schoolchildren to the taste of food and teach them independence from an early age.

ERGONOMICS FOR THE YOUNGEST

With an ergonomic ramp designed to suit the height of primary school children, the bambino³ self-service counter allows them to have their tray placed at a suitable height.

THE PLEASURE OF EATING

With bambino³, children feel like grown-ups eating in a restaurant, in a more upmarket setting than the canteen. With large display areas, the bambino³ range whets the appetite of even the youngest diners and showcases the variety of your menus.

ENHANCED SECURITY

The bain-marie is generally positioned at right angles so that it is inaccessible to children. Protecting children from the risk of burns allows the person serving to place the plate directly on the schoolchild's tray. In terms of hygiene, the self-service restaurant complies with current regulations and best practices and offers operators every guarantee.

THE EDUCATIONAL DIMENSION

By displaying food at their height, the bambino³ self-service restaurant gives every child the opportunity to choose their meals more easily, thereby developing their independence and taste.



Our achievements !



bambino³

TECHNICAL SPECIFICATIONS

- Stainless steel construction. Depth 840 mm + ramp 322 mm, height 720 mm.
- Matt stainless steel top (orbital brushing) thickness 20/10 mm.
- Tanks thickness 20/10 mm as standard, rounded at all corners.
- Thermostat control with touch screen.
- Cable duct behind the front panel for routing power cables for the units along the entire length of the self-service line.

Refrigerated units: R455A refrigerant gas, ventilated cooling reserve.

Heated units: heated interior with floor and shelf, ventilated heating.

For in-line installation, take into account the thickness of the joint between units (5 mm) when calculating the total length.

DISPLAY STANDS

38 mm diameter columns with radiused base, in brushed Stainless steel tubing, with optional polished Stainless steel tubing.

320 mm deep shelf in 6 mm thick tempered glass with 80 mm high bonded splash guard.

PLATFORM RAMP

Shelf ramp supplied, included in the price and in the unit code. Four stainless steel tubes, three for support and one for guiding the shelves, on composite brackets.

Height 610 mm. The ramp is continuous in the case of linear units (maximum length 6 metres).



bambino³

DRESSING

Front cladding supplied: included in the price and in the unit code. Made from double-sided water-resistant melamine, 16 mm thick with veneered edges.

Additional side panelling: made from double-sided water-repellent melamine, 16 mm thick, with stainless steel protective corner pieces.

The finishes can be chosen from the 15 colours in Egger's Eurodekor 2024 - 2026 collection below, on page 14.

Other colours available, please contact us for prices and delivery times.

LAYOUT OF A SELF-SERVICE FACILITY

1. Perpendicular installation

Provide a front panel with a ramp and shelves in front of the bain-marie, positioned perpendicular to the line.

2. Online implementation (current trend)

Facade cladding in laminate and stainless steel on both sides. Units with handrail at child height (610 mm).

Self-attractive line

- Wide range of colours
- Customised designs available on request
- Can be arranged in a line

Unit height 720 mm with ramp at 610 mm

- Shelf located at children's height

2-tier refrigerated display cabinets

- Suitable for children's sizes
- Allow for a high degree of autonomy
- Large display area

Water baths, height 900 mm

- Ergonomics adapted to staff and children.

Water baths arranged perpendicularly

- Protecting children from the risk of burns.
- Allow the person serving to place the plate directly on the child's tray
- Water baths can also be arranged in a row

Ergonomic supplement

- Roll'Service for keeping hot dishes at the right temperature