



804 193

804 196

Trolley for dishwasher baskets

Trolley with 8 tiers for horizontal storage of dishwasher baskets. Stainless steel construction. Square tubular leg 25×25 mm. Continuous argon welded basket runners. 4 swivel wheels 125 mm, 2 brakes, with polyamide cover. Annular wheel guards. Space between tiers: 189 mm. Trolley (for storage of dishwasher baskets on end): welded stainless steel construction. 25×25 mm tubular structure, 3 tiers with a spacing of 535 mm, including a handrail at rear. 4 swivel wheels Ø 125 mm with polyamide cover, 2 with brakes. Annular wheel guards. Capacity: 8 baskets 500×500 mm per level, i.e. a total of 24 baskets.



Description	Overall Dim. l×W×h (mm)	Reference
Trolley with 8 tiers (for horizontal storage of dishwasher baskets)	630×630×1785	804 193
Trolley (for storage of dishwasher baskets on end)	1000×500×1785	804 196
Polyamide cover with zip for trolley 8 tiers	585×600×1620	221 231



804 212

Transport trolley

Stainless steel construction. Square tubular uprights 25×25 mm. Welded tray runners with stop blocks at the end. Closing bar for intensive use: transport inside a vehicle, loading, unloading, passing through doors whilst heavily loaded. Wheels Ø 125 with non protruding stainless steel cover to take up as little place as possible. Overall dimensions: 384×583 mm, height 1485 mm. Space between sliders 81 mm.

Description	Reference
Transport trolley GN 1/1 with 15 tiers	804 212



907 005

Flour containers

Stainless steel construction. 4 swivel wheels Ø 100 mm with galvanized steel cover.

Description	Overall Dim. W×l×h (mm)	Reference
120 litre flour container + stainless steel lid	605×395×725	907 005
120 litre flour container with dividing panel + s/ steel lid	605×395×725	806 150



806 071

Trolleys for GN pans

Welded stainless steel construction. Capacity: 2×GN 1/1 pans or 1×GN 2/1 pan, depth 200 mm (GN pans not provided). 4 swivel wheels Ø 125 mm, with polyamide cover, including 2 braked.

Description	Overall Dim. l×W×h (mm)	Reference
Stackable trolley for GN pans	740×625×850	806 071

Supplement with stainless steel castors (prefix 83 instead of 80)



800 066

Breakfast trolley

Trolley with upper shelf and anti-fall gallery rails. 2×7 level 1/1GN tiers with 325 mm openings. With handle. 4 swivel wheels with polyamide cover including 2 brakes. Annular bumpers.

Description	Overall Dim. l×W×h (mm)	Reference
Breakfast trolley	850×640×1020	800 066



812 321

Bain-marie heated trolley

Stainless steel construction for GN 1/1 containers up to 200 mm deep (not supplied). Independant well regulated by separated thermostats with illuminated indicator. Heating by shielded resistances. Protection bumpers and lower shelf. Drain with 1/4 turn valve. 4 swivel wheels Ø 125 mm with polyamide cover including 2 brakes. Voltage 230V 50 Hz.

Description	Overall Dim. l×W×h (mm)	Reference
Bain-marie trolley, 2 containers	900×650×900	812 321
Bain-marie trolley, 3 containers	1300×650×900	812 322



906 440



801 331



801 310

Trolleys for utensils

- **Hook tree:** stainless steel construction. 4 swivel wheels Ø 100 mm with electrogalvanised steel clevis. 12 utensil holder rods.
- **Accessories holder trolley:** Stainless steel construction. 4 swivel wheels Ø 100 mm with galvanized steel cover. 1 container GN 1/1, depth 40 mm removable, 3 bars for ustensils with 1hook.
- **Chef's trolley:** Stainless steel construction. 4 swivel wheels Ø 125 mm with polyamide cover, stainless steel axle and ball bearings. Sliding frame 7 GN 2/1 levels, 1 polyethylene worktop, 1 support for 6 poly. GN 1/6 depth 100 mm, pans provided, 1 lateral box for knives, 1 bar for accessories.

Description	Overall Dim. W×l×h (mm)	Reference
Hook trolley	660×640×1755	906 440
Holder trolley	560×365×1600	801 310
Chef's trolley	590×690×1750	801 331

Kitchen trolleys



- Bread trolley: Stainless steel construction. 4 swivel wheels Ø 125 mm, with polyamide cover, including 2 brakes. Rear preparation shelf for cutting bread. Width 350 mm, 2 copolyester 2/1 GN containers. Depth 200 mm on runners.
- Vacuum packed food trolley: Stainless steel construction. 4 swivel wheels Ø 125 mm, with polyamide cover, including 2 brakes. Removable waste bag folding holder 50 litres. Polyethylene sheet, perforated sheet. Polypropylene GN 1/1 container on slides.
- Cutting trolley: Stainless steel construction. 4 swivel wheels Ø 125 mm, with polyamide cover. Perforated top. Polyethylene sliding drawer.
- Spice trolley: Stainless steel construction. 4 swivel wheels Ø 125 mm, with polyamide cover including 2 brakes. Provided with 8 copolyester containers GN 1/6 depth 100 + lids.



Description	Overall Dim. l×W×h (mm)	Reference
Bread trolley	770×700×775	801 341
Vacuum packed food trolley	850×600×850	906 521
Cutting trolley	850×600×850	906 520
Spice trolley	720×410×750	906 446

Clearing trolley



800 061

Delivered with 3 stainless steel 1/3 GN cutlery pans, 100 mm deep, waste chute with rubber flange. 4 swivel wheels with polyamide cover including 2 brakes. Annular bumpers.

Description	Overall Dim. l×W×h (mm)	Reference
Clearing trolley	1330×640×920	800 061

Multi-purpose trolley

Trolley with 2 trays 1000×600 mm. Smooth and sturdy trays. Horizontal handle. Max load: 100 kg/ tray. 4 swivel wheels Ø 125 mm including 2 brakes.



801 625

Description	Overall Dim. l×W×h (mm)	Reference
Multi-purpose trolley	1070×670×850	801 625

Option

Extra cost for multi-purpose trolleys with stainless steel wheels (83 instead of 80)

Platform trolleys



Platform 1000×600 mm. 4 wheels: 4 swivel wheels Ø 160 mm, with galvanized steel cover, nylon tread. Max load: 350 Kg.

Description	Overall Dim. l×W×h (mm)	Reference
Open aluminium platform trolley	1250×600×1000	802 160
Aluminium platform trolley with solid base	1250×600×1000	802 162
Open S/ steel platform trolley	1200×600×1000	802 165
S/ steel platform trolley with solid base	1200×600×1000	802 166

Option

Extra-cost for rubber bumpers on 3 sides - Ref. 702 211

Meat hook trolleys



Aluminium construction. Max load: 600 kg. 4 wheels: 2 fixed, 2 swivel, with galvanized steel cover Ø 160 mm (small trolley model), Ø 200 mm (large trolley model).

Description	Overall Dim. l×W×h (mm)	Reference
Meat hook trolleys small model	1150×750×1800	802 010
Meat hook trolleys large model	1800×750×1800	802 020

Option

Supplement for trolley equipped with 4 Ø 160 mm castors with stainless steel clevis (Prefix 81 instead of 80)

Angle bar



Stainless steel construction, 40×40 mm, 1 mm thick.

Description	Lengths (mm)	Reference
Angle bar	1500	803 392
Angle bar	2000	803 393
Angle bar	2500	803 394