

JANITOR SINK

Stainless steel welded construction, clad to 3 sides. 4 tubular legs 40×40 with jacks. Hot and cold water pre-mixer tap with check valves and temperature control. ½” manual control mixer tap. Delivered with PVC sink pipe, overflow tube and goose neck.

Storage buckets with peripheral surround to prevent products from overflowing. Grid supporting stainless steel buckets, removable.

Drainage: 1.5” plug hole.

Useful dimensions: top basin L 430×W 280×H 130 mm - lower basin: L 400×W 400×H 200 mm



806 536

Description	Overall dim. l×W×h (mm)	Reference
Janitor sink	500×600×890	806 536
Janitor sink	500×700×890	806 537

GUIDE POSTS



904 051 + 904 050



903 020

To create a workspace, reception or waiting area.

Description	Height (mm)	Dimension (mm)	Ref.
Post with cord 1500 mm long	1050	Ø 280	904 051
Post alone to fasten cord	1050	Ø 280	904 050
Cord alone 1500 mm long			230 923
Barrier post with cassette tape unwinder 2300 mm long	1050	Ø 280	903 020

ACCESSORIES FOR HAND WASH-BASIN



806 395



806 396



230 552



230 553



230 554



230 469



806 350



806 314

Description	Overall dim. l×W×h (mm)	Reference
Stainless steel wall dustbin	250×140×250	806 395
Plastic wall dustbin	250×200×400	806 396
Paper towel dispenser, capacity 250 towels (1)	280×130×370	230 552
Box of 3000 towels, 30 packets of 100	300×290×145	230 398
Paper towel dispenser for rolls ø 120 mm	140×155×290	230 553
Box of 15 paper towel rolls ø 120 mm	h = 210	806 362
Paper towel dispenser for rolls ø 170 mm	210×220×320	230 554
Box of 6 paper towel rolls ø 170 mm	h = 195	806 364
Nails brush on support		806 314
Soap dispenser 500 ml	95×95×165	230 469
Extra-cost for plug and brass tap + brass siphon		230 234
Knee-control kit: control by rod + swan neck, flexible tube. Enables conversion an existing basin		806 350



Sterilizing unit

Hydraulic unit for low-pressure cleaning and sterilizing of surfaces and floors. Foodstuff quality tube length 15 m. Anti-shock gun. Stainless steel 10 kg can support. Concentration adjusted by calibrated nozzles. Drinking water system protected by standard switch. Wall fastening.



806 462

Description	Overall dim. l×W×h (mm)	Reference
Sterilizing unit, 1 product	650×400×1000	<u>806 462</u>
Sterilizing unit, 2 products	700×400×1000	<u>221 640</u>



Disinfection stations with automatic reel

Hydraulic unit for low-pressure cleaning and disinfection of surfaces and floors. 15 m food-grade hose. Shock-resistant spray gun. Stainless steel holder for 10 kg containers (not supplied). Concentration adjustment via calibrated nozzles. NF disconnecting device to protect the drinking water network. Wall mounting.



806 477



806 479



Description	Overall dim. l×W×h (mm)	Reference
Disinfection station with 1 product dispenser	650×400×1000	<u>806 477</u>
Disinfection station with 2-product dispenser	700×400×1000	<u>806 478</u>
Automatic dispenser only, 15 metres		<u>806 479</u>
Spray gun		<u>806 480</u>